

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(@ay<"2003" or @rlad<"2003" or @py<"2003") and "709"/\$3.ccls. and (trouble adj ticket) and (automatic\$5 near4 activat\$5 near2 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:11
S2	1	(@ay<"2003" or @rlad<"2003" or @py<"2003") and "709"/\$3.ccls. and (automatic\$5 near4 activat\$5 near2 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 16:01
S3	0	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (automatic\$5 near4 activat\$5 near2 account) and (trouble adj ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 16:02
S4	16	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (activat\$5 near2 account) and (trouble adj ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:35
S5	2	"5970149".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:32
S6	296	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with activat\$5 near2 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:07
S7	1690	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:35
S8	2	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (activat\$5 near2 account) and (trouble adj ticket) and ("705"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:35
S9	763	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account) and ("705"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:36

EAST Search History

S10	65	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account) near20 (service adj provid\$5) and ("705"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:39
S11	18	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account) near20 (service adj provid\$5) and ("705"/\$3.ccls. or "709"/\$3.ccls.) and (monitor\$5 near5 (resource or service or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:03
S12	131	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account) and ("705"/\$3.ccls. or "709"/\$3.ccls.) and (monitor\$5 near5 (resource or service or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:57
S13	113	S12 NOT S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:58
S14	9	S13 and ((trouble adj ticket) or (service or account) near4 (trouble or problem))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 12:59
S15	2	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (user with (activat\$5 or establish\$3) near2 account) with ((web or internet) near2 host\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:04
S16	25	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (account or access)) with (response or result) near3 (trigger or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:07
S17	35	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near4 (account or access)) with (response or result) near4 (trigger or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:50
S18	43	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near5 (account or access)) with (response or result) near5 (trigger or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:51

EAST Search History

S19	18	S18 NOT S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:51
S20	121	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (account or access)) near5 trigger\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:52
S21	5100	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (account or access)) with (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:54
S22	5100	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (((activat\$5 or enabl\$5) near3 (account or access)) with (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:54
S23	1737	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (((activat\$5 or enabl\$5) near3 (account or access)) with (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5)) and ("370"/\$3.ccls. or "705"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:56
S24	997	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (((activat\$5 or enabl\$5) near3 (account or access)) with (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5)) and ("370"/\$3.ccls. or "705"/\$3.ccls. or "709"/\$3.ccls.) and ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5) near2 (request\$4 or ticket or note or messag\$5 or alert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 13:58
S25	227	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (((activat\$5 or enabl\$5) near3 (account or access)) with (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5)) and ("370"/\$3.ccls. or "705"/\$3.ccls. or "709"/\$3.ccls.) and ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5) near2 (request\$4 or ticket or note or messag\$5 or alert\$4)) same ((enabl\$5 or activat\$5) near3 (account or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:07

EAST Search History

S26	18434	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near5 (account or resource or system or server or computer or device) near5 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:01
S27	2222	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near5 (account or resource or system or server or computer or device) near5 (access)) with ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:02
S28	1053	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near5 (account or resource or server or computer) near5 (access)) with ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:05
S29	7	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (automatic\$5 or trigger\$5) near5 ((activat\$5 or enabl\$5) near5 (account or resource or server or computer) near5 (access)) with ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:05
S30	16	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (automatic\$5 or trigger\$5) near5 ((activat\$5 or enabl\$5) near5 (account or resource or server or computer or device) near5 (access)) with ((trouble adj ticket) or (servic\$5 or maintain\$5 or troubleshoot\$5 or repair\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:06
S31	43	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (((activat\$5 or enabl\$5) near3 (account or access)) with (respon\$5 or trigger\$5 or result\$5 or cause\$5) near5 (maintain\$4 or troubleshoot\$4 or repair\$4 or servic\$5 or "trouble ticket" or alert)) and ("370"/\$3.ccls. or "705"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:21

EAST Search History

S32	9	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (access or backdoor or entry) near2 (computer or server or account or system or device)) with (result\$5 or respon\$5 or trigger\$5) near3 (trouble\$8 or alarm or alert)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:27
S33	2591	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (activat\$5 or enabl\$5) near3 (access or backdoor or entry) near3 (servic\$5 or maintain\$5 or repair\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:28
S34	282	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (access or backdoor or entry) near3 (servic\$5 or maintain\$5 or repair\$5)) same (network and (computer or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:29
S35	895	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (access or backdoor or entry) near3 (servic\$5 or maintain\$5 or repair\$5)) and ("709"/\$3.ccls. or "370"/\$3.ccls. or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:30
S36	29	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((automatic\$5 or trigger\$5) with (activat\$5 or enabl\$5) near3 (access or backdoor or entry) near3 (servic\$5 or maintain\$5 or repair\$5)) and ("709"/\$3.ccls. or "370"/\$3.ccls. or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:33
S37	3183	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (enabl\$5 or activat\$5) near5 (servic\$5 or temporary or maintain\$5 or repair\$5) near2 (account or access or backdoor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:34
S38	880	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((enabl\$5 or activat\$5) near5 (servic\$5 or temporary or maintain\$5 or repair\$5) near2 (account or access or backdoor)) and ("709"/\$3.ccls. or "370"/\$3.ccls. or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:35

EAST Search History

S39	533	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((enabl\$5 or activat\$5) near3 (servic\$5 or temporary or maintain\$5 or repair\$5) near2 (account or access or backdoor)) and ("709"/\$3.ccls. or "370"/\$3.ccls or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:40
S40	59	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((enabl\$5 or activat\$5) near3 (temporary or maintain\$5 or repair\$5) near2 (account or access or backdoor)) and ("709"/\$3.ccls. or "370"/\$3.ccls or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:50
S41	29	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((enabl\$5 or activat\$5) near3 (temporary or maintenance or repair\$5) near2 (account or access or backdoor)) and ("709"/\$3.ccls. or "370"/\$3.ccls or "705"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:56
S42	5	("6144852" "6339736" "6438471" "6524230").PN. OR ("6708072").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/06/25 14:53
S43	154	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (problem or failure or (trouble adj ticket) or alarm or alert) near5 (request\$4 or trigger\$4) near4 maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 14:59
S44	0	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((problem or failure or (trouble adj ticket) or alarm or alert) near5 (request\$4 or trigger\$4) near4 maintenance) with (enabl\$5 near5 (account or access) near2 (temporary or servcie or repair))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:00
S45	1	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((problem or failure or (trouble adj ticket) or alarm or alert) near5 (request\$4 or trigger\$4) near4 maintenance) with (enabl\$5 near5 (account or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:00
S46	191	(@ay<"2003" or @rlad<"2003" or @py<"2003") and ((activat\$5 or enabl\$5) near3 (((service or maintenance) adj account) or ((service or maintenance) adj access)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:09

EAST Search History

S47	3	(@ay<"2003" or @rlad<"2003" or @py<"2003") and (trigger or automatic\$7) near4 ((activat\$5 or enabl\$5) near3 (((service or maintenance) adj account) or ((service or maintenance) adj access)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 15:09
S48	6142	(@ay>="2003" or @rlad>="2003") and (709/223.ccls. or 709/224.ccls. or 709/226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:09
S49	10357	(@ay<"2003" or @rlad<"2003") and (709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:55
S50	1	(@ay<"2003" or @rlad<"2003") and (709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls. or 709/229.ccls. or 726/3.ccls. or 726/4.ccls. or 726/16.ccls. or 726/17.ccls. or 726/21.ccls. or 379/9.ccls. or 729/15.ccls.) and (dormant with account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:14
S51	0	(@ay<"2003" or @rlad<"2003") and (709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls. or 709/229.ccls. or 726/3.ccls. or 726/4.ccls. or 726/16.ccls. or 726/17.ccls. or 726/21.ccls. or 379/9.ccls. or 729/15.ccls.) and (enabl\$5 with account with (react\$5 or respon\$5 or result\$5) with (trouble or problem or alert))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:15
S52	1	(@ay<"2003" or @rlad<"2003") and (709/223.ccls. or 709/224.ccls. or 709/225.ccls. or 709/226.ccls. or 709/229.ccls. or 726/3.ccls. or 726/4.ccls. or 726/16.ccls. or 726/17.ccls. or 726/21.ccls. or 379/9.ccls. or 729/15.ccls.) and (enabl\$5 with account near5 (trouble or problem or alert))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/25 17:15
S53	1955	(@ay<"2003" or @rlad<"2003") and (726/3.ccls. or 726/4.ccls. or 726/16.ccls. or 726/17.ccls. or 716/21.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:11

EAST Search History

S54	1970	(@ay>="2003" or @rlad>="2003") and (726/3.ccls. or 726/4.ccls. or 726/16.ccls. or 726/17.ccls. or 716/21.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:17
S56	30	(379/9.ccls. or 379/15.ccls.) and (enabl\$5 or activat\$5 or allow\$5) near5 (account or "log in" or access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:13
S57	553	(@ay<"2003" or @rlad<"2003") and ((dormant or inactive or disabled) near3 (account or "log in" or "user id"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:18
S58	42	(@ay<"2003" or @rlad<"2003") and ((activat\$5 or enabl\$5) near3 (dormant or inactive or disabled) near3 (account or "log in" or "user id"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:22
S59	151	(@ay<"2003" or @rlad<"2003") and (conditional near4 (account or "log in" or "user id"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:24
S60	14	(@ay<"2003" or @rlad<"2003") and (conditional near4 (account or "log in" or "user id")) and ("709"/\$3.ccls. or "726"/\$3.ccls. or "379"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:24
S61	27	("Davis, Charles".in. or "McClain, Kevin".in.) and (trigger\$5 or activat\$5 near5 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:29
S62	58	("IBM".as. or "International Business Machines".as.) and ((trigger\$5 or activat\$5) near5 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/26 08:29
S63	33	("4182933" "4310720" "4430728" "4531023" "4578531" "4763351" "4965804" "5179695" "5204961" "5237677" "5347578" "5416842" "5452460" "5537554" "5550984" "5678002" "5854828").PN. OR ("5970149").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/06/26 09:51

EAST Search History

S64	3	S63 and (dormant or temporary or conditional or service or repair) near5 (account or "user id" or login or "log in")	US-PGPUB; USPAT; USOCR	AND	ON	2007/06/26 09:52
-----	---	--	------------------------------	-----	----	------------------